

SHEETING PANEL CHART



PIONEERS IN PRE-ENGINEERED BUILDINGS & STEEL STRUCTURES

- Established in 1976 A group company of Alghanim Industries Kuwait.
- Strong, leak-proof & cost effective sheeting profiles.
- otrong, reak proof a coot encetive enceting promos.
- Designs enable easier installation and maintenance

- Market leader in the Pre-Engineered Steel Buildings (PEB) segment - Executed over 65,000 landmark projects globally.
- Visually appealing finish Available in various colors.

• Support thicker layers of insulation.

Kirby Standard Colors

Kirby offers a wide range of top coats including polyester, silicone modified polyester and Polyvinyldifluoride (PVF2) in six standard colour options. We can support requirements for RAL colours on request.



Insulated Sandwich Panels

Kirby offers four types of strong, versatile, and cost effective polyurethane insulated panels for efficient modular construction of roofing, exterior walls, and internal partitions. The injected polyurethane has a thermal conductivity of 0.022 W/m.K and average density of 40kg.m3.



Kirby Roof Insulated Panels (KRIP) use the Kirby Roof cladding profile for a durable, low maintenance and weather-tight roofing system. higher insulation performance is required.

Kirby Wall Insulated Panels (KWIP) use the Kirby Concealed Fastener Insulated Panels (KCIP) Kirby Wall cladding profile for a speedy and cost use the Kirby Concealed Fastner profile as a - efficient solution for external walls where solution for interior partitions where very low heat transmission value and high strength to weight ratio is required.

Panels can be specially ordered to meet a wide range of base metal specification, coating, finish, colour and thickness.

AVAILABILITY CHART															
Kirby Cladding Systems	Steel							Aluminum							
	Arctic White	Caribbean Blue	Desert Beige	Sun Gold	Autumn Green	Galvalum / AluZinc	Standard RAL Colors	Arctic White	Caribbean Blue	Desert Beige	Sun Gold	Autumn Green	Aluminum Plain	Standard RAL Colors	
Kirby Roof (KR)							0							0	
Kirby Wall															
Kirby Cladding Systems (UAE Code)							0								
Kirby Concealed Fastener															
Kirby Deck															
Kirby Sandwich Panel Thickness and Availability Chart THICKNESS(MM)															
	40	50	60	65	75	90	100	125	150						
Kirby Roof (KR)						0		0	0	Available					
Kirby Wall			0												
Kirby Cladding Systems (UAE Code)										☐ Not Available					
Kirby Concealed Fastener	0							0	0	Available on request					

SHEETING


Panel Profiles

Kirby offers various types of affordable, durable & easy to install cladding panels to enhance the visual appearance of our customers buildings.

Kirby standard steel panel are 0.5 mm or 0.6 mm thick and have minimum yield strength of 345MPa. Steel panels are hot dipped and galvanized with zinc or zinc – aluminium coating. Galvanized materials conform to G90 for 275 grams per square metre according to ASTM A653. Zinc – Aluminium coated materials conform to AZ150 according to ASTM A792.

Kirby standard aluminium panels are 0.5mm or 0.7mm thick, have a minimum yield strength of 145MPa, according to ASTM 8 209M (alloy 3105 temper H16). Other materials and thicknesses are available on request.

Kirby panels are prepared with a multilayered coating system to ensure long life and optimum coating adherence. The base material is pre-treated, before applying a corrosion resistant primer and top coat. The combined thickness of the painted film is 25 microns on the front side and 12 microns on the reverse side.




Kirby Roof (KR)

Kirby RIB profile is strong and cost effective and was developed specifically for roofing applications. The bearing leg design permits easier installation and maintenance, support thicker layers of insulation and allows easier curvature for a visually appealing finish.

Coverage Area: 1000mm

Rib Depth: 32mm

Kirby RIB profile is also available as an Insulated panel (KRIP) in thickness from 40mm to 150mm.




Kirby Wall (KW)

Kirby Wall is a cost effective, partially concealed fastener with a sculptured valley shape between the major ribs for a superior architectural look for external walls.

Coverage Area: 1000mm

Rib Depth: 26mm

Kirby Wall profile is also available as an Insulated panel (KWIP) in thickness from 40mm to 150mm.




Kirby Cladding Systems (KCS)

KCS profile offers extra strong resistance to wind and gravitational loads and can be used for roofing, wall and decking applications. KCS was developed by Kirby specifically to meet more stringent load requirements.

Coverage Area: 1000mm

Rib Depth: 40mm

Kirby Cladding Systems profile is also available as an Insulated panel in thickness from 40mm to 100mm.




Kirby Concealed Fastener (KCF)

Kirby Concealed Fastener cladding is used for exterior wall cladding, internal wall cladding and roof liners. The profile features interlocking tongue and groove joints that offer an attractive architectural look with a flat finish and no visible fasteners.

Coverage Area: 1000mm

Kirby Concealed Fastener profile is also available as an Insulated panel (KCIP) in thickness from 40mm to 150mm.



Kirby Deck

Kirby Deck is an ultra strong profile designed as a permanent shuttering to support wet concrete used in decking applications. The profile provides a stable and rigid working platform that removes the need for additional framework to support concrete.

Coverage Area: 820mm

Rib Depth: 41mm

Coverage Area: 1000mm Rib Depth: 40mm



www.kirbyinternational.com

Follow us at









o Edition

Middle East & Africa Corporate Office & Kuwait Plant

Kirby Building Systems-Kuwait P.O.Box 23933, Safat 13100 Kuwait

Tel: (965) 2326 2800 Fax: (965) 2326 1793

Email: kirbymarketing@alghanim.com

Ras Al Khaimah Plant, UAE

Kirby Building Systems - UAE LLC, Al Jazeera Industrial Area II, PO Box No. 6624, Ras Al Khaimah, UAE.

Tel.: (971) 7204 3333 Fax: (971) 7244 7830

Email: kirbyrak@alghanim.com

India Corporate Office & Hyderabad Plant

Kirby Building Systems India Pvt Ltd. Plot No 8-15, IDA Phase III, Pashamylaram, Sangareddy Dist. (Old Medak) -502 307, Telangana, India

Tel.: (91) 8455 224401 / 02 / 03 / 04 Fax: (91) 8455 224419 / 27 Email: kirby@kirby-india.com

Haridwar Plant, India

Kirby Building Systems India (Uttaranchal) Pvt. Ltd.

Plot No 2, Sector 11, Integrated Industrial Estate, Haridwar, Uttarakhand - 249403, India

Tel: (91) 1334 235317, 235318, 235319 Fax: (91) 1334 235314, 235397 Email: kirby@kirby-india.com

Southeast Asia Corporate Office & Vietnam Plant

Kirby Building Systems Southeast Co Ltd 7th Floor, SPT Building, 199 Dien Bien Phu, Ward 15, Binh Thanh District, Hochiminh City, Vietnam

Tel.: (84) 5422 1155 Fax: (84) 5422 1156 Email: sales@kirby.vn

Kirby is a wholly owned subsidiary of Alghanim Industries



Alghanim Industries, P.O. Box 223, Safat, Kuwait 13003